

Residential List

W3

	W	Model Numbers (Clopay Dealer)	Model Numbers (Clopay Retail)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.
W3	W3	1000, 1001	183, 187	101784	16-0	8-0	20	21	N	3" U-Bar (2-1-2-1)	5675.2
	W3	4050, 4051, 4053	2050, 2051	101655	9-0	8-0	20	20	N	2-1/4" U-Bar (3 total)	5675.1
	W3	4050, 4051, 4053	2050, 2051	101820	16-0	8-0	20	21	N	3" U-Bar (2-1-2-1)	5675.3
	W3	73, 94, 1500	75, 84A, 190	101308	16-0	8-0	20	21	N	3" U-Bar (2-1-1-1)	5675.4

W4

	W	Model Numbers (Clopay Dealer)	Model Numbers (Clopay Retail)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.
W4	W4	4400, 4401, 4310, 4300,4301	HDG, HDGL	101652	9-0	8-0	28	29	N	2-1/4" U-Bar (3 total)	5675.5
	W4	4400, 4401, 4310, 4300,4301	HDG, HDGL	101481	16-0	8-0	25.5	25.5	N	3" U-Bar (2-1-1-1)	5675.8
	W4	4400, 4401, 4310, 4300,4301	HDG, HDGL	101247	18-0	8-0	25	25	N	3" U-Bar (2-2-2-2)	5675.12
	W4	H300, H301, H310, H400, H401	N/A	102488	9-0	12-0	28	29	N	2-1/4" U-Bar (3 total)	5675.5
	W4	H300, H301, H310, H400, H401	N/A	102489	16-0	12-0	25.5	25.5	N	3" U-Bar (2-1-1-1)	5675.8
	W4	H300, H301, H310, H400, H401	N/A	102490	18-0	10-0	25	25	N	3" U-Bar (2-2-2-2)	5675.12
	W4	73, 94, 1500	75, 84A, 190	300159	9-0	8-0	25	32	N	3" U-Bar (1-1-1-1)	5675.6
	W4	73, 94, 1500	75, 84A, 190	101711	16-0	8-0	24	24.5	N	3" U-Bar (2-1-2-1)	5675.9
	W4	73, 94, 1500	75, 84A, 190	101312	18-0	8-0	25	25	N	4" C-Channel (1-1-1-1)	5675.13
	W4	76	N/A	102429	9-0	8-0	25	32	N	3" U-Bar (1-1-1-1)	5675.6
	W4	H73, H76, H94, H500	N/A	102485	9-0	12-0	25	32	N	3" U-Bar (1-1-1-1)	5675.6
	W4	H73, H94, H500	N/A	102486	16-0	12-0	24	24.5	N	3" U-Bar (2-1-2-1)	5675.9
	W4	H73, H94, H500	N/A	102487	18-0	12-0	25	25	N	4" C-Channel (1-1-1-1)	5675.13
	W4	C11, C12, C13, C21, C22, C23, HC11, HC12, HC13	C11, C12, C13, C21, C22, C23	103046	16-0	10-0	25	25	N	3" U-Bar (2-2-2-2)	5675.10
	W4	G4S, G4SV, G4L, G4LV	GS4, GS4V, GL4, GL4V	103486	9-0	12-0	25	25	N	3" U-Bar (2-1-1-1)	5675.7
	W4	G4S, G4SV, G4L, G4LV	GS4, GS4V, GL4, GL4V	103454	16-0	12-0	25	25	N	3" U-Bar (2-1-2-1 with 2 on ea 24" section)	5675.11
	W4	G4S, G4SV	GS4, GS4V	103498	18-0	12-0	25	25	N	4" C-Channel (1-1-1-1) and 3" U Bar (1-1-1-0)	5675.14

Residential List

W5

W	Model Numbers (Clopay Dealer)	Model Numbers (Clopay Retail)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.
W5	Reserve Coll.	Reserve Coll.	102466	9-0	8-0	32	36	N	2-1/4" U-Bar (2-1-1)	5675.19
W5	Reserve Coll. (Hemlock)	Reserve Coll. (Hemlock)	102536	16-0	8-0	30	33.3	N	4" C-Channel (1-1-1-1)	5675.30
W5	1000, 1001	183, 187	101242	9-0	8-0	30	32	N	3" U-Bar (1-1-1-1)	5675.15
W5	1000, 1001	183, 187	101345	16-0	8-0	30	30	Y	4" C-Channel (1-1-1-1)	5675.23
W5	4050, 4051, 4053	2050, 2051	101595	16-0	8-0	30	30	N	3" U-Bar (2-2-2-2)	5675.24
W5	4050, 4051, 4053	2050, 2051	102185	16-0	8-0	32	32	N	3" U-Bar (2-2-2-2) HY*	5675.21
W5	73, 94, 1500	75, 84A, 190	102110	9-0	8-0	30	32	N	3" U-Bar (2-1-1-1)	5675.16
W5	73, 94, 1500	75, 84A, 190	101593	16-0	8-0	30	30	N	3" U-Bar (2-2-2-2)	5675.25
W5	73, 94, 1500	75, 84A, 190	101922	16-0	8-0	32	32	N	3" U-Bar (2-2-2-2) HY*	5675.22
W5	76	N/A	102548	9-0	8-0	30	32	N	3" U-Bar (2-1-1-1)	5675.16
W5	76	N/A	102416	16-0	8-0	30	30	N	3" U-Bar (2-2-2-2)	5675.25
W5	H73, H76, H94, H500	N/A	102512	16-0	12-0	30	30	N	3" U-Bar (2-2-2-2)	5675.25
W5	C11, C12, C13, C21, C22, C23, C31, C32, C33, C34, C35, HC11, HC12, HC13, HC31, HC32, HC33, HC34, HC35	C11, C12, C13, C21, C22, C23, C31, C32, C33, C34, C35	102996	9-0	10-0	33	37	N	3" U-Bar (2-1-1-1)	5675.17
W5	C11, C12, C13, C21, C22, C23, C31, C32, C33, C34, C35, HC11, HC12, HC13, HC31, HC32, HC33, HC34, HC35	C11, C12, C13, C21, C22, C23, C31, C32, C33, C34, C35	102997	16-0	10-0	30	30	N	3" U-Bar (2-2-2-2)	5675.28
W5	G4S, G4SV, G4L, G4LV	GS4, GS4V, GL4, GL4V	103487	9-0	12-0	30	32	N	3" U-Bar (2-1-1-1 with 2 on every odd 24" section)	5675.18
W5	G4S, G4SV, G4L, G4LV	GS4, GS4V, GL4, GL4V	103471	16-0	12-0	30	30	N	3" U-Bar (2-2-2-2 with 3 on every odd 24" section)	5675.29
W5	AV	N/A	103445	12-2	12-0	32	32	N	2"x2" Alum. Angle (2-1-1-1)	5675.20
W5	AV	N/A	103447	16-2	12-0	32	32	Y	4" C-Channel (1-1-1-1)	5675.27
W5	AV	N/A	103446	16-2	12-0	30	30	Y	Offset 2"x2" Alum. Angle (2-1-1-1)	5675.26
W5	AV	N/A	103448	20-2	12-0	30	30	Y	6" C-Channel (1-1-1-1)	5675.31

* - 3" U-Bar specified 80ksi min yield strength steel

Residential List

W6

W	Model Numbers (Clopay Dealer)	Model Numbers (Clopay Retail)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.
W6	Custom Reserve Coll.	Custom Reserve Coll.	102833	9-0	12-0	39	45	N	2-1/4" U-Bar (2-1-1)	5675.35
W6	4050, 4051, 4053	2050, 2051	101654	9-0	8-0	37	37	N	2-1/4" U-Bar (2-1-1-1)	5675.32
W6	CP11, CP12, CP13, CP14, CP21, CP22, CP23, CP31, CP32, CP33, CP34, CP35, HP11, HP12, HP13, HP14, HP31, HP32, HP33, HP34, HP35	CP11, CP12, CP13, CP14, CP21, CP22, CP23, CP31, CP32, CP33, CP34, CP35	103223	9-0	8-0	38	42	N	3" U-Bar (2-1-1-1)	5675.37
W6	CP11, CP12, CP13, CP14, CP21, CP22, CP23, CP31, CP32, CP33, CP34, CP35, HP11, HP12, HP13, HP14, HP31, HP32, HP33, HP34, HP35	CP11, CP12, CP13, CP14, CP21, CP22, CP23, CP31, CP32, CP33, CP34, CP35	103243	16-2	8-0	37.5	40	N	4" C-Channel (1-1-1-1)	5675.41
W6	CP11, CP12, CP13, CP14, CP21, CP22, CP23, CP31, CP32, CP33, CP34, CP35, HP11, HP12, HP13, HP14, HP31, HP32, HP33, HP34, HP35	CP11, CP12, CP13, CP14, CP21, CP22, CP23, CP31, CP32, CP33, CP34, CP35	103519	18-2	12-0	37	37	Y	6" C-Channel (1-1-1-1)	5675.45
W6	4400, 4401, 4310, 4300, 4301	HDG, HDGL	101526	9-0	8-0	37	40	N	3" U-Bar (2-1-1-1)	5675.33
W6	4400, 4401, 4310, 4300, 4301	HDG, HDGL	101486	16-2	8-0	37	40	Y	4" C-Channel (1-1-1-1)	5675.38
W6	4400, 4401, 4310, 4300, 4301	HDG, HDGL	101487	18-2	8-0	37	37	Y	6" C-Channel (1-1-1-1)	5676.42
W6	H300, H301, H310, H400, H401	N/A	102497	9-0	12-0	37	40	N	3" U-Bar (2-1-1-1)	5675.33
W6	H300, H301, H310, H400, H401	N/A	102498	16-2	12-0	37	40	Y	4" C-Channel (1-1-1-1)	5675.38
W6	H300, H301, H310, H400, H401	N/A	102499	18-2	10-0	37	37	Y	6" C-Channel (1-1-1-1)	5675.42
W6	73, 94	75, 84A	101348	9-0	8-0	38	42	N	3" U-Bar (2-1-2-1)	5675.34
W6	73, 94	75, 84A	101539	16-2	8-0	37	41	Y	4" C-Channel (1-1-1-1)	5675.39
W6	73, 94	75, 84A	101485	18-2	8-0	37	37	Y	6" C-Channel (1-1-1-1)	5675.43
W6	94	84A	101485	18-2	8-0	37	39	Y	6" C-Channel (1-1-1-1)	5675.44
W6	H73, H94	N/A	102494	9-0	12-0	38	42	N	3" U-Bar (2-1-2-1)	5675.34
W6	H73, H94	N/A	102495	16-2	12-0	37	41	Y	4" C-Channel (1-1-1-1)	5675.39
W6	H73, H94	N/A	102496	18-2	12-0	37	37	Y	6" C-Channel (1-1-1-1)	5675.43
W6	H94	N/A	102496	18-2	12-0	37	39	Y	6" C-Channel (1-1-1-1)	5675.44
W6	G4S, G4L	GS4, GL4	103488	9-0	12-0	37	37	N	3" U-Bar (2-1-2-1 with 2 on every 24" section)	5675.36
W6	G4S	GS4	103489	16-2	12-0	37	37	Y	6" C-Channel (1-1-1-1)	5675.40
W6	G4S	GS4	103406	18-2	7-0**	37	37	Y	6" C-Channel (1-1-1-1)	5675.46

W6

** - doors are only approved for 7'H

Residential List

W7

	W	Model Numbers (Clopay Dealer)	Model Numbers (Clopay Retail)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.
W7	W7	73, 94, H73, H94	75, 84A	101702	9-0	12-0	42	48	N	2-1/4" U-Bar (2-2-1-2)	5684.1
	W7	94, H94	84A	101702	9-0	12-0	42	48	N	2-1/4" U-Bar (2-2-1-2)	5684.1
	W7	73, 94, H73, H94	75, 84A	101309	16-2	12-0	42	48	Y	6" C-Channel (1-1-1-1)	5684.2
	W7	94, H94	84A	101309	16-2	12-0	42	48	Y	6" C-Channel (1-1-1-1)	5684.2
	W7	94, H94	84A,	102621	18-2	12-0	42	46	Y	6" C-Channel & 3" U-Bar	5684.3

W8

	W	Model Numbers (Clopay Dealer)	Model Numbers (Clopay Retail)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.
W8	W8	4400, 4401, 4310, 4300, 4301, H300, H301, H310, H400, H401	HDG, HDGL	101703	9-0	12-0	48	60	N	3" U-Bar (2-2-2-2)	5684.4
	W8	4400, 4401, 4310, 4300, 4301, H300, H301, H310, H400, H401	HDG, HDGL	101488	16-2	12-0	46.6	52	Y	6" C-Channel (1-1-1-1)	5684.10
	W8	4400, 4401, 4310, 4300, 4301, H300, H301, H310, H400, H401	HDG, HDGL	103028	18-2	12-0	46	50	Y	6" C-Channel & 3" U-Bar	5684.12
	W8	73, 94, H73, H94	75, 84A	101296	9-0	12-0	46	50	N	3" U-Bar (2-2-2-2)	5684.5
	W8	94, H94	84A	103287	9-0	12-0	54	62	N	3" U-Bar (2-2-2-2)	5684.6
	W8	94, H94	84A	101300	16-2	12-0	46.6	52	Y	6" C-Channel (1-1-1-1)	5684.11

W9

	W	Model Numbers (Clopay Dealer)	Model Numbers (Clopay Retail)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Double End Stiles?	Horizontal Reinforcement	Florida Approval Seq. No.
W9	W9	94, H94	84A	101706	9-0	12-0	57	67	Y	4" C-Channel (1-1-1-1)	5684.13

Commerical List

W4

	W	Model Numbers (Clopay Dealer)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Horizontal Reinforcement	Florida Approval Seq. No.
W4	W4	692	101762	9-0	14-0	25	32	3" U-Bar (1-1-1-1)	5678.2
	W4	692	101781	16-0	14-0	24	24.5	3" U-Bar (2-1-2-1)	5678.8
	W4	3203	101758	9-0	14-0	28	29	2-1/4" U-Bar (varies)	5678.1
	W4	3203	101760	16-0	14-0	25.5	25.5	3" U-Bar (2-1-1-1)	5678.6
	W4	3200, 3220	101687	12-2	18-0	25	28	2-1/4" U-Bar (2-1-1-1)	5678.4
	W4	3200, 3220	101682	20-2	18-0	25	28	6" C-Channel (1-1-1-1)	5678.9
	W4	3200, 3220	103334	24-2	18-0	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.11
	W4	3602, 3603, 3622	102812	10-2	18-0	25	25.5	None	5678.3
	W4	525, 525V, 525S, 524, 524V, 524S, 520, 520S	101856	12-2	18-0	25	25	3" U-Bar (2-1-2-1)	5678.5
	W4	524, 524V, 524S, 520,	101886	16-2	18-0	25	25	4" C-Channel (1-1-1-1)	5678.7
	W4	524, 524V, 524S, 520,	102126	20-2	18-0	25	25	6" C-Channel (1-1-1-1)	5678.10
	W4	524, 524V, 524S, 520, 520S	103333	24-2	18-0	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.12
	W4	902	103332	24-2	18-0	25	25	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.13

Commerical List

W5

	W	Model Numbers (Clopay Dealer)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Horizontal Reinforcement	Florida Approval Seq. No.
W5	W5	902	103275	12-2	18-0	32	32	2"x2" Alum. Angle (2-1-1-1)	5678.17
	W5	902	103294	16-2	18-0	32	32	4" C-Channel (1-1-1-1)	5678.22
	W5	902	103295	16-2	18-0	30	30	2"x2" Alum. Angle (2-1-1-1)*	5678.21
	W5	902	103296	20-2	18-0	30	30	6" C-Channel (1-1-1-1)	5678.23
	W5	902	103324	22-2	18-0	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.26
	W5	524, 524V, 524S, 520, 520S	101874	8-2	18-0	30	30	2-1/4" U-Bar (1-1-1-1)	5678.14
	W5	524, 524V, 524S, 520, 520S	101875	10-2	18-0	30	30	3" U-Bar (1-1-1-1)	5678.15
	W5	524, 524V, 524S, 520, 520S	101869	12-2	18-0	30	30	3" U-Bar (2-2-2-2)	5678.16
	W5	524, 524V, 524S, 520, 520S	101885	16-2	18-0	32	32	4" C-Channel (1-1-1-1)	5678.20
	W5	524, 524V, 524S, 520, 520S	103319	22-2	18-0	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.25
	W5	3200, 3220	200040	16-2	18-0	30	32	3" U-Bar (2-2-2-2)	5678.19
	W5	3200, 3220	103320	22-2	18-0	30	30	6" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5678.24
	W5	3602, 3603, 3622	102891	14-2	18-0	30	34	3" U-Bar (2-1-1-1)	5678.18

* - 2"x2" aluminum angle is offset with 4"x6" plates

W6

	W	Model Numbers (Clopay Dealer)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Horizontal Reinforcement	Florida Approval Seq. No.
W6	W6	3200, 3220	101617	10-2	18-0	37	40	3" U-Bar (2-1-1-1)	5678.27
	W6	3200, 3220	101678	12-2	18-0	40	40	3" U-Bar (2-1-2-1)	5678.30
	W6	3602, 3603, 3622	102813	10-2	18-0	37	37	3" U-Bar (2-1-1-1)	5678.28
	W6	3602, 3603, 3622	102890	14-2	18-0	37	42	3" U-Bar (2-2-2-2)	5678.32
	W6	524, 524V, 524S, 520, 520S	102445	10-2	18-0	37	42	3" U-Bar (2-1-2-1)	5678.29
	W6	524, 524V, 524S, 520, 520S	102446	12-2	18-0	37	42	3" U-Bar (2-2-2-2)	5678.31
	W6	524, 524V, 524S, 520, 520S	102585	14-2	18-0	37	38	4" C-Channel (1-1-1-1)	5678.33

Commerical List

W8

	W	Model Numbers (Clopay Dealer)	Drawing Number (Clopay)	Door Width (Max) Ft-In	Door Height (Max) Ft-In	Design Load Positive (PSF)	Design Load Negative (PSF)	Horizontal Reinforcement	Florida Approval Seq. No.
W8	W8	3200, 3220	101705	12-2	18-0	52	58	4" C-Channel (1-1-1-1)	5684.7
	W8	524, 520	102645	12-2	18-0	50	56	4" C-Channel (1-1-1-1)	5684.8
	W8	524, 520	103288	14-2	18-0	50	56	4" C-Channel (1-1-1-1) and 3" U-Bar (1-1-1-1)	5684.9